




1/9

**FIG. 1**


2/9

*FIG. 2*

3/9

*FIG. 3*

4/9

**FIG. 4**




FIG. 5

6/9




FIG. 6A




FIG. 6B





FIG. 6C

7/9

**FIG. 7**

8/9

CLIENT PLAYLIST_PLAY REQUEST

PLAYLIST_PLAY rtsp://example.com/public/foo RTSP/1.0
CSeq: 7
Session: 1234567890
Range: playlist_play_time=</foo1.ply, 6, 0>-; time=now

802

STREAMING MODULE RESPONSE

RTSP/1.0 200 OK
CSeq: 7
Session: 1234567890
Range: playlist_play_time=</foo1.ply, 6, 0>-

804

STREAMING MODULE SET_PARAMETER REQUEST

SET_PARAMETER rtsp://example.com/public/foo RTSP/1.0
CSeq: 8
Session: 1234567890
Content-length: 24
Content-type: text/parameters

playlist_play_time=</foo1.ply, 6, 0>
presentation_npt_time: 65000

806


CLIENT RESPONSE

RTSP/1.0 200 OK
CSeq: 8
Session: 1234567890

808

FIG. 8

9/9

900


Symptoms <u>902</u>	Return Code <u>904</u>	Behavior <u>904</u>
Everything okay	OK	Begins streaming from the specified clip/playlist
Playlist file not found	Not Found	Continues streaming from current playlist
Playlist file corrupt	Internal Server Error	Continues streaming from current playlist
Not authorized for secure playlist file	Unauthorized	Continues streaming from current playlist
Public playlistw/ secure content	Forbidden	Continues streaming from current playlist
Clip index value out of range	Invalid Range	Continues streaming from current playlist
Clip(s) not found	Partial Content	Begins streaming from next available (found) clip defined in the playlist. Indicated by clip index in response range header.
Playlist found but all clips missing	Requested Range Not Satisfiable	Continues streaming from current playlist
Clip corrupt	Handled in the error code of the following S→C SET_PARAMETER request	

FIG. 9